



This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 
1. Previously Cancelled
 2. Previously Cancelled
 3. Previously Cancelled
 4. Previously Cancelled
 5. Previously Cancelled
 6. Previously Cancelled
 7. Previously Cancelled
 8. Previously Cancelled
 9. Previously Cancelled
 10. Previously Cancelled
 11. Previously Cancelled
 12. Previously Cancelled
 13. Previously Cancelled

14. (Currently Amended) An anisotropic polymer layer exhibiting a tilted structure with an optical axis having a tilt angle θ relative to the plane of the layer greater than zero, obtained by polymerizing a polymerizable mesogenic material comprising at least one compound of the formula:



I

wherein


P is a polymerizable group,

Sp is a spacer group having 1 to 20 C atoms,

X is a group of -O-, -S-, -CO-, -COO-, -OCO-, -OCOO- or a single bond,

n is 0 or 1,

MG is a mesogenic or ~~mesogenity~~ mesogenicity supporting group, ~~optionally, a compound of formula:~~



wherein

Copy
CMG
~~A¹, A² and A³ are, independently, 1,4-phenylene where one or more CH groups may be replaced by N, 1,4-cyclohexylene, optionally, one or two non-adjacent CH₂ groups are replaced by O and/or S, 1,4-cyclohexenylene or naphthalene 2,6-diyl, optionally these groups are unsubstituted, mono- or polysubstituted with halogen, cyano or nitro groups or alkyl, alkoxy or alkanoyl groups having 1 to 7 C atoms, wherein one or more H atoms may be substituted by F or Cl,~~


~~Z¹ and Z² are each, independently, COO, OCO, CH₂CH₂, OCH₂, CH₂O, CH=CH, C=C, CH=CH COO, OCO CH=CH or a single bond, and~~

~~m is 0, 1 or 2;~~

and

R is an alkyl radical with up to 25 C atoms ~~which may be~~ optionally unsubstituted, mono- or polysubstituted by halogen or CN, optionally one or more non-adjacent CH₂ groups are replaced, independently, by -O-, -S-, -NH-, -N(CH₃)-, -CO-,

-COO-, -OCO-, -OCO-O-, -S-CO-, -CO-S- or -C≡C- where oxygen atoms are not linked directly to one another, or alternatively, R is halogen, cyano or, has independently, ~~one of the meanings given for~~ P-(Sp-X)_n- as defined in formula I;
wherein the polymerizable mesogenic material comprises at least 95% by weight of polymerizable compounds.

 15. (Currently Amended) A Polymer layers comprising the polymer layer according to claim 14, wherein the tilt angle θ in each of said layers varies continuously in a direction normal to the layer, starting from a minimum value θ_{\min} at the side of the layer facing the other layer or, if present, the common substrate, and ranging to a maximum value θ_{\max} on the opposite side of the layer.









16. (Previously Added) A polymer layer according to claim 14, wherein the minimum tilt angle θ_{\min} is from 0 to 20 degrees.

17. (Previously Added) A polymer layer according to claim 14, wherein the maximum tilt angle θ_{\max} is from 20 to 90 degrees.


18. (Previously Added) A polymer layer according to claim 14, wherein the tilt angle θ is substantially constant and is in the range from 5 to 80 degrees.

19. (Previously Added) A polymer layer according to claim 14, wherein the polymerizable material comprises at least one compound of formula I having one polymerizable group and at least one compound of formula I having two polymerizable groups.

20. (Currently Amended) A polymer layer according to claim 14, wherein the polymerizable material comprises at least one compound of formula I wherein the mesogenic group MG is of the formulae:



21/10/04




where L is: F, Cl, CN, or ~~an optionally~~ a fluorinated alkyl, alkoxy or alkanoyl group with 1 to 4 C atoms,


and

r is 0, 1 or 2.

21. (Previously Added) A polymer layer according to claim 14, wherein the polymerizable material comprises at least one compound of formula I where P is:



22. (Currently Amended) A polymer layer according to claim 14, wherein the polymerizable ~~mesogenic~~ mesogenic material comprises at least one compound of the formulae:




wherein x and y are, independently, 1 to 12, A is a 1,4-phenylene or 1,4-cyclohexylene group, R¹ is halogen, cyano or an optionally halogenated alkyl or alkoxy group with 1 to 12 C atoms, and L¹ and L² are, independently, H, F, Cl, CN, or an ~~optionally~~ optionally a halogenated alkyl, alkoxy, or alkanoyl group with 1 to 7 C atoms.

23. (Previously Added) A polymer layer according to claim 14, wherein the polymerizable material comprises 1 to 80% by weight of at least one dielectrically positive monoreactive mesogenic compound.

24. (Previously Added) A polymer layer according to claim 23, wherein said dielectrically positive monoreactive mesogenic compound has a dielectric anisotropy $\Delta\epsilon > 1.5$.

25. (Previously Added) A polymer layer according to claim 23, wherein said dielectrically positive monoreactive mesogenic compound has a polar terminal group of CN, F, Cl, OCF₃, OCF₂H, OC₂F₅, CF₃, OCN or SCN.

26. (Previously Added) A polymer layer according to claim 14, wherein the polymerizable material comprises at least one compound of the formula:



wherein x is 1 to 12, R² is C₁₋₁₂ alkyl or alkoxy, and

A⁴ is 1,4-phenylene, trans-1, 4-cyclohexylene or a single bond;

at least one di reactive compound of formula I; and at least one dielectrically positive monoreactive compound of formula I.

27. (Currently Amended) A polymer layer according to claim 14, wherein the polymerizable mesogenic material is a mixture of:

a1) 10 to 99% by weight of at least one mesogen according to formula I having one polymerizable functional group,


a2) 0 to 70% by weight of at least one mesogen according to formula I having two or more polymerizable functional groups, and

b) 0.01 to 5% by weight of an initiator.

28. (Previously Added) A polymer layer according to claim 14, wherein the polymerizable mesoenic material is a mixture of:

- a1A) 10 to 65%, by weight of at least one compound of formula I having one polymerizable group, wherein R is an alkyl or alkoxy group with 1 to 12 C atoms;
- a1B) 5 to 40% by weight of at least one compound of formula I having one polymerizable group, wherein R is CN, F, Cl or a halogenated alkyl or alkoxy group with 1 to 12 C atoms;
- a2) 2 to 90% by weight of at least one compound of formula I having two polymerizable groups, wherein R has one of the meanings of P-(Sp-X)-_n; and
- b) 0.01 to 5 % by weight of an initiator.

29. (Currently Amended) A polymer layer according to claim 28, wherein the 10-65%, by weight of at least one compound of formula I a1A) is of the formula:




wherein x is 1 to 12, R² is C₁₋₁₂ alkyl or alkoxy, and

A⁴ is 1,4-phenylene, trans-1, 4-cyclohexylene or a single bond.

30. (Previously Added) A liquid crystal display comprising a display cell and at least one polymer layer according to claim 14.

[Please add the following new claims:]

--31. (New) A polymer layer according to claim 14, wherein the mesogenic or mesogenicity supporting group is a compound of formula:



II

wherein

Michael
A¹, A² and A³ are, independently, 1,4-phenylene where one or more CH groups optionally replaced by N, 1,4-cyclohexylene, optionally, one or two non-adjacent CH₂ groups are replaced by O and/or S, 1,4-cyclohexenylene or naphthalene-2, 6-diyl, optionally these groups are unsubstituted, mono- or polysubstituted with a halogen, a cyano, or a nitro group, or an alkyl, alkoxy or alkanoyl group having 1 to 7 C atoms, wherein one or more H atoms may be substituted by F or Cl,

Z¹ and Z² are each, independently, -COO-, -OCO-, -CH₂CH₂-, -OCH₂-, -CH₂O-, -CH=CH-, -C≡C-, -CH=CH-COO-, -OCO-CH=CH- or a single bond and

(m) (M) is 0, 1 or 2.

32. (New) A polymer layer according to claim 14, wherein n=1.

(33) (New) A polymer layer according to claim 14, wherein the tilt angle θ is 5-80° and the polymerizable mesogenic material comprises at least 96% by weight of polymerizable compounds.

34. (New) A polymer layer according to claim 14, wherein the at least 95% by weight of polymerizable compounds are of the formula I.--